

CH	Frequency							Tone/TSQ/DTCS					Digital											
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name	Skip	Bank
0	146.9500	-DUP	OFF	0.6000	Enable	5k	Low		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
1	146.7000	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
2	147.1500	+DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
3	147.2500	+DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
4	146.6500	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
5	146.6250	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
6	145.1250		OFF	0.6000	Enable	5k	Mid-H		88.5	88.5	023	Both N	ON	0	C1	C1	C1	C2	OFF	FM	OFF			A
7	146.8375	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	ON	0	C1	C1	C1	C2	OFF	FM	OFF			A
8	146.5850		OFF	0.6000	Enable	5k	Mid-H		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
9	146.5000		OFF	0.6000	Enable	5k	Mid-H		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
10	147.1850		OFF	0.6000	Enable	5k	Low		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
11	146.7500	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
12	147.2250		OFF	0.6000	Enable	5k	Low		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF	2M PAR		A
13	146.5250		OFF	0.6000	Enable	5k	Mid-H	123.0	123.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A	
14	146.9000	-DUP	OFF	0.6000	Enable	5k	High		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
15	145.5750		OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF		Skip	A
16	145.4500		OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
17	146.8000	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
18	146.5500		OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF			A
19	147.2000	+DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF	CATABY		A
20	146.6750	-DUP	OFF	0.6000	Enable	5k	Mid-L		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF	AVON V		A
21																								
22																								
23																								
24																								
25																								
26																								
27																								
28																								
29																								
30																								
31																								
32																								
33																								
34																								
35																								
36																								
37																								
38																								
39																								
40	133.9000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	MELB C		B

CH	Frequency							Tone/TSQ/DTCS					Digital											
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name	Skip	Bank
41	125.2000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	MELB C		B
42	132.9500		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH CL		B
43	123.6000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH AP		B
44	118.7000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH DE		B
45	128.1000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH RA		B
46	120.5000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH TO		B
47	121.7000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH GR		B
48	123.8000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	PTH AT	Skip	B
49	118.1000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND TO		B
50	124.3000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND GR		B
51	120.9000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND AT	Skip	B
52	119.4000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND CI		B
53	135.2500		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	WHAT		B
54	129.9000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	JND FU		B
55	129.5000		OFF	0.0000	Enable	25k	Low		67.0	67.0	023	Both N	OFF	0	C1	C1	C1	C1	OFF	AM	ON	Q LOGI		B
56																								
57																								
58																								
59																								
60																								
61																								
62																								
63																								
64																								
65																								
66																								
67																								
68																								
69																								
70																								
71																								
72																								
73																								
74																								
75																								
76																								
77																								
78																								
79																								
80																								
81																								

CH	Frequency							Tone/TSQL/DTCS					Digital												
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQL Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name	Skip	Bank	
82																									
83																									
84																									
85																									
86																									
87																									
88																									
89																									
90																									
91																									
92																									
93																									
94																									
95																									
96																									
97																									
98																									
99																									
100																									
101																									
102																									
103																									
104																									
105																									
106																									
107																									
108																									
109																									
110																									
111																									
112																									
113																									
114																									
115																									
116																									
117																									
118																									
119																									
120																									
121																									
122																									

CH	Frequency							Tone/TSQL/DTCS					Digital											
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQL Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name	Skip	Bank
123																								
124																								
125																								
126																								
127																								
128																								
129																								
130																								
131																								
132																								
133																								
134																								
135																								
136																								
137																								
138																								
139																								
140																								
141																								
142																								
143																								
144																								
145																								
146																								
147																								
148																								
149																								
150																								
151																								
152																								
153																								
154																								
155																								
156																								
157																								
158																								
159																								
160																								
161																								
162																								
163																								

CH	Frequency							Tone/TSQ/DTCS					Digital						DTMF	Mode	Name ON/OFF	Name	Skip	Bank		
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign								
164																										
165																										
166																										
167																										
168																										
169																										
170																										
171																										
172																										
173																										
174																										
175																										
176																										
177																										
178																										
179																										
180																										
181																										
182																										
183																										
184																										
185																										
186																										
187																										
188																										
189																										
190																										
191																										
192																										
193																										
194																										
195																										
196																										
197																										
198																										
199																										
1A																										
1B																										
2A																										
2B																										
3A																										

CH	Frequency							Tone/TSQL/DTCS					Digital											
	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQL Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name	Skip	Bank
3B																								
C	146.0100		OFF	0.6000	Enable	5k	High		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	OFF		---	---

No.	Select	Code
D0	S	
D1		
D2		
D3		
D4		
D5		
D6		
D7		
D8		
D9		
DA		
DB		
DC		
DD		
DE		
DF		

**DTMF Speed**

Speed 100ms

No.	Callsign
C1	VK6SKY D
C2	
C3	
C4	
C5	
C6	



No.	Callsign
C1	CQCQCQ
C2	WB7DZGCL
C3	U
C4	XRF019BC
C5	W7GC CL
C6	REF001CL

## Repeater Callsign

CS-2200H Rev.1.1

No.	Callsign
C1	VK6RWN C
C2	VK6RWN G
C3	
C4	
C5	
C6	

No.	Select	Message
C1	S	FR- VK6SKY NAME -IAN
C2		
C3		
C4		
C5		
C6		

Display / Beep	
Bright	4
Color	Amber
Operation Beep	ON
Timer	
TOT	2m00s
Auto Power-OFF	OFF
Mic Function	
Mic Up	MIC-UP
Mic Down	MIC-DN
Scan	
Edge	All
Resume	T-15
Bank Link	
Link	OFF
A-J	ABCDEFGHIJ
WX	
WX Alert	OFF
WX CH	1
Digital	
Break	OFF
Emergency	OFF
Auto Data Tx	OFF
Speed	4800bps
Standby Beep	ON
Rx Callsign Auto Write	OFF
Repeater Callsign Auto Write	OFF
GPS	
Control Mode	OFF
Auto Tx Timer	OFF
etc.	
Auto Repeater	OFF
Lockout	OFF
Squelch Delay	Short
S-Meter Squelch	OFF
RF Attenuator	OFF

---

ALC	OFF
Memory Disp	Freq
Comment	VK6SKY IC-2200H

---

Status		Frequency							Tone/TSQL/DTCS					Digital									
VMC	CH No	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQL Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name
VFO	---	146.0100		OFF	0.6000	Enable	5k	High		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	---	---

Display / Beep	
Bright	4
Color	Amber
Operation Beep	ON
Timer	
TOT	OFF
Auto Power-OFF	OFF
Mic Function	
Mic Up	MIC-UP
Mic Down	MIC-DN
Scan	
Edge	All
Resume	T-15
Bank Link	
Link	OFF
A-J	ABCDEFGHIJ
WX	
WX Alert	OFF
Digital	
Break	OFF
Emergency	OFF
Auto Data Tx	OFF
Speed	9600bps
Standby Beep	OFF
Rx Callsign Auto Write	OFF
Repeater Callsign Auto Write	OFF
GPS	
Control Mode	OFF
Auto Tx Timer	3m00s
etc.	
Auto Repeater	R1 (Duplex Only)
Lockout	OFF
Squelch Delay	Short
S-Meter Squelch	OFF
RF Attenuator	ON
ALC	OFF

Memory Disp Freq



Status		Frequency							Tone/TSQ/DTCS					Digital									
VMC	CH No	Operating Freq	Dup	Dup Reverse	Offset Freq	Tx Inhibit	TS	RF Power	Tone	Tone Freq	TSQ Freq	DTCS	DTCS Polarity	Mode	Code	My Callsign	You Callsign	Rpt-1 Callsign	Rpt-2 Callsign	DTMF	Mode	Name ON/OFF	Name
VFO	---	146.0100		OFF	0.6000	Enable	5k	High		88.5	88.5	023	Both N	OFF	0	C1	C1	C1	C1	OFF	FM	---	---

Display / Beep	
Bright	4
Color	Amber
Operation Beep	ON
Timer	
TOT	OFF
Auto Power-OFF	OFF
Mic Function	
Mic Up	MIC-UP
Mic Down	MIC-DN
Scan	
Edge	All
Resume	T-15
Bank Link	
Link	OFF
A-J	ABCDEFGHIJ
WX	
WX Alert	OFF
Digital	
Break	OFF
Emergency	OFF
Auto Data Tx	OFF
Speed	9600bps
Standby Beep	OFF
Rx Callsign Auto Write	OFF
Repeater Callsign Auto Write	OFF
GPS	
Control Mode	OFF
Auto Tx Timer	3m00s
etc.	
Auto Repeater	R1 (Duplex Only)
Lockout	OFF
Squelch Delay	Short
S-Meter Squelch	OFF
RF Attenuator	ON
ALC	OFF

Memory Disp Freq